

SEMI-MOUNTED FULL AUTOMATIC HYDRAULIC
INCH ADJUSTABLE PROFILE PLOUGH

HAYATOP



agromaster®

We know the soil

www.agromaster.com

HAYATOP 146
HAYATOP 166
HAYATOP 147
HAYATOP 167
HAYATOP 168
HAYATOP 169
HAYATOP 1610

HAYATOP, Semi-Mounted Full Automatic Hydraulic Inch Adjustable Profile Plough

Agromaster ploughs are developed for modern farmers who focus on professional farming, functional equipment and economical operation. We have achieved this through our unique design and well-thought-out every single details. Also, heat-treated pieces on Agromaster ploughs allows them be used for a long period.

Our ploughs can be used for;

- Ploughing the fallowed and stubble fields.
- Dragging, breaking and overturning the soil.
- Overturning the plant residues and fertilizer into soil.
- Our ploughs are in Category II and designed with 3 point hitch system



Technical Specifications*	Unit	HAYATOP 146	HAYATOP 166	HAYATOP 147	HAYATOP 167	HAYATOP 168	HAYATOP 169	HAYATOP 1610
Number of Body	pcs	6	6	7	7	8	9	10
Working Width	mm	1800 3000	1800 3000	2100 3500	2100 3500	2400 4000	2700 4500	3000 5000
	ft.in	5'10"-9'10"	5'10"-9'10"	6'10"-11'5"	6'10"-11'5"	7'10"-13'1"	8'10"-14'9"	8'10"-16'4"
Working Depth	mm	250-350	300-450	250-350	300-450	300-450	300-450	300-450
	ft.in	10"-1'1"	11"-1'5"	10"-1'1"	11"-1'5"	11"-1'5"	11"-1'5"	11"-1'5"
Beam Clearance	mm	780-850	800-870	780-850	800-870	800-870	800-870	800-870
	ft.in	2'6"-2'9"	2'7"-2'10"	2'6"-2'9"	2'7"-2'10"	2'7"-2'10"	2'7"-2'10"	2'7"-2'10"
Body Distance	mm	950	950	950	950	950	950	950
	ft.in	3'1"	3'1"	3'1"	3'1"	3'1"	3'1"	3'1"
Frame Size	mm	160x160	160x160	160x160	160x160	200x200	200x200	200x200
	ft.in	6"x6"	6"x6"	6"x6"	6"x6"	7"x7"	7"x7"	7"x7"
Required Power	hp	150-220	180-250	180-250	215-285	250-320	300-345	330-390
Weight	kg	2700	2820	3150	3290	3500	3700	4500
	lbs	5952	6217	6944	7253	7716	8157	9920
1 inch = 25,4 mm - 1 inch = 0,083 feet (foot) - 1 feet (foot) = 12 inc					* Manufacturer reserves rights to change them without notice.			



Easy Adjusment Transport Wheel



Easy Maintenance and Durable Piston



Smooth Ploughing with MouldboardPerfect Surface Levelling



agromaster®

+90 332 235 64 23

info@agromaster.com

www.agromaster.com

Buyukkayacik OSB Mahallesi Evrenkoy Cad. No:32 42050 Selcuklu/Konya/TÜRKİYE

