

PROFILE PLOUGH MECHANIC
INCH ADJUSTABLE TYPE

MAP



agromaster®
We know the soil

www.agromaster.com

MAP 124
 MAP 144
 MAP 164
 MAP 125
 MAP 145
 MAP 165
 MAP 126
 MAP 146
 MAP 166

MAP, Profile Plough Mechanic Inch Adjustable Type

This plough is mounted to tractor's hydraulic arms and universal three point linkage system. Plough can be easily transported to field. It is mechanically and hydraulically adjustable. Optionally, hydraulic inch adjusting system ensures to work with different working width. According to demand you can add the additionally body to the plough to increase the quantity of furrows. Damage ratio is decreased to minimum by means of the security system on the plough.



Technical Specifications*	Unit	MAP 124	MAP 144	MAP 164	MAP 125	MAP 145	MAP 165	MAP 126	MAP 146	MAP 166
Number of Body	pcs	4	4	4	5	5	5	6	6	6
Working Width	mm	1200 1800	1200 1800	1200 1800	1500 2250	1500 2250	1500 2250	1800 2700	1800 2700	1800 2700
	ft.in	3'11" 5'10"	3'11" 5'10"	3'11" 5'10"	4'11" 7'4"	4'11" 7'4"	4'11" 7'4"	5'10" 8'10"	5'10" 8'10"	5'10" 8'10"
Working Depth	mm	260- 330	250- 350	300- 450	260- 330	250- 350	300- 450	260- 330	250- 350	300- 450
	ft.in	10"-1'	10"-1'1"	11"-1'5"	10"-1'	10"-1'1"	11"-1'5"	10"-1'	10"-1'1"	11"-1'5"
Beam Clearance	mm	780	780-850	800-850	780	780-850	800-850	780	780-850	800-870
	ft.in	2'6"	2'6"-2'9"	2'7"-2'9"	2'6"	2'6"-2'9"	2'7"-2'9"	2'6"	2'6"-2'9"	2'7"-2'10"
Body Distance	mm	800	850	910	850	910	910	850	910	910
	ft.in	2'7"	2'9"	2'11"	2'9"	2'11"	2'11"	2'9"	2'11"	2'11"
Frame Size	mm	120x100	"120x100 120x120"	"120x120 140x140"	"120x100 120x120"	"120x120 140x140"	"120x120 140x140"	140x140	140x140	140x140
	ft.in	4"x3"	4"x3" 4"x4"	4"x4" 5"x5"	4"x3" 4"x4"	4"x4" 5"x5"	4"x4" 5"x5"	5"x5"	5"x5"	5"x5"
Required Power	hp	75-90	90-120	90-120	90-120	110-130	120-150	110-130	110-130	120-180
Weight	kg	700	710	870	800	860	920	1160	1220	1260
	lbs	1543	1565	1918	1763	1895	2028	2557	2689	2777

1 inch = 25,4 mm - 1 inch = 0,083 feet (foot) - 1 feet (foot) = 12 inc


* Manufacturer reserves rights to change them without notice.



Middle Lever



Depth Wheel



Mouldboard Group



agromaster®

+90 332 235 64 23

info@agromaster.com

www.agromaster.com

Buyukkayacak OSB Mahallesi Evrenkoy Cad. No:32 42050 Selcuklu/Konya/TÜRKİYE

