

CANAL OPENER & RIDGER

SKP



agromaster®

We know the soil

www.agromaster.com

SKP, Canal Opener& Ridger

SKP **010**
SKP **012**
SKP **014**
SKP **016**
SKP **018**



Technical Specifications*	Unit	SKP 010	SKP 012	SKP 014	SKP 016	SKP 018
Number of The Disc	pcs	2	2	2	2	2
Total Width (W)	mm	950	950	950	950	950
	ft.in.	3'1"	3'1"	3'1"	3'1"	3'1"
Total Length (L)	mm	1700	1700	1700	1700	1700
	ft.in.	5'7"	5'7"	5'7"	5'7"	5'7"
Total Height (H)	mm	1300	1300	1300	1300	1300
	ft.in.	4'3"	4'3"	4'3"	4'3"	4'3"
Working Dept (max)	mm	220	260	280	300	320
	ft.in.	9"	10"	11"	12"	13"
Working Width	mm	1750	1800	1850	1900	1950
	ft.in.	5'9"	5'11"	6'1"	6'3"	6'5"
Space Between Bodies	mm ft.in.	Adjustment				
Required Power	hp	35-40	45-50	50-55	60-65	70-75
Weight	kg	245	249	255	260	355
	lbs	540	548	562	573	782

1 inch = 25,4 mm - 1 inch = 0,083 feet (foot) - 1 feet (foot) = 12 inch

* Manufacturer reserves rights to change them without notice.



agromaster®

+90 332 235 64 23

info@agromaster.com

www.agromaster.com

Buyukkayacik OSB Mahallesi Evrenkoy Cad. No:32 42050 Selcuklu/Konya/TÜRKİYE

