

SEMI-MOUNTED HYDRAULIC INCH
ADJUSTABLE PROFILE PLOUGH

HAYA



agromaster®

We know the soil

www.agromaster.com

HAYA 166

HAYA 167

HAYA 168

HAYA, Semi-Mounted Hydraulic Inch Adjustable Profile Plough

Agromaster ploughs are developed for modern farmers who focus on professional farming, functional equipment and economical operation. We have achieved this through our unique design and well-thought-out every single details. Also, heat-treated pieces on Agromaster ploughs allows them be used for a long period. Our ploughs can be used for;


- Ploughing the fallowed and stubble fields.
- Dragging, breaking and overturning the soil.
- Overturning the plant residues and fertilizer into soil.
- Our ploughs are in Category II and designed with 3 point hitch system



Technical Specifications*	Unit	HAYA 166	HAYA 167	HAYA 168
Number of Body	pcs	6	7	8
Working Width	mm	1800-3000	2100-3500	2400-4000
	ft.in	5'10"-9'10"	6'10"-11'5"	7'10"-13'1"
Working Depth	mm	300-450	300-450	300-450
	ft.in	11"-1'5"	11"-1'5"	11"-1'5"
Beam Clearance	mm	800-870	800-870	800-870
	ft.in	2'7"-2'10"	2'7"-2'10"	2'7"-2'10"
Body Distance	mm	950	950	950
	ft.in	3'1"	3'1"	3'1"
Frame Size	mm	160x160	160x160 180x180	160x160 180x180
	ft.in	6"x6"	6"x6" 7"x7"	6"x6" 7"x7"
Required Power	hp	160-210	200-250	220-270
Weight	kg	2720	3180	3490
	lbs	5996	7010	7694

1 inch = 25,4 mm - 1 inch = 0,083 feet (foot) - 1 feet (foot) = 12 inc

* Manufacturer reserves rights to change them without notice.





agromaster®

+90 332 235 64 23

info@agromaster.com

www.agromaster.com

Buyukkayacik OSB Mahallesi Evrenkoy Cad. No:32 42050 Selcuklu/Konya/TÜRKİYE

