

FOLDABLE V TYPE OFFSET DISC HARROW

WOD SERIES



agromaster®
We know the soil

www.agromaster.com

**WOD
SERIES****FOLDABLE V TYPE OFFSET DISC HARROW**


Hydraulic lift foldable v type disc harrow is a trailing type machine which is used to dissect plant residues (corn, sunflower, wheat etc.) and weed; and to break duff layer. It prepares the field directly for planting by harrowless taming without using any other agricultural machine in dry seasons where ploughs can not enter after the harvest and it may be used to tame the soil including intensive humidity as well



Technical Specifications*	Unit	WOD 4461	WOD 4861	WOD 5261	WOD 5661	WOD 6061	WOD 6461	WOD 6861	WOD 7261
Disc Number	pcs	44	48	52	56	60	64	68	72
Disc Diameter	mm	560 x 4,5							
Dist. Between Disc	mm	220							
	ft.in	0'8"							
No.Of Beds On Crank	pcs	16	16	16	16	16	20	20	24
Working Width (A)	mm	4840	5280	5720	6160	6600	7040	7480	7920
	ft.in	15'10"	17'3"	18'9"	10'2"	21'7"	23'1"	24'6"	25'1"
Total Width (B)	mm	5080	5520	5960	6400	6840	7280	7720	8160
	ft.in	16'8"	18'1"	19'6"	20'1"	22'5"	23'10"	25'3"	26'9"
Total Lenght (C)	mm	5940							
	ft.in	19'5"							
Total Height (D)	mm	1480	1480	1480	1250	1250	1250	1250	1250
	ft.in	4'10"	4'10"	4'10"	4'1"	4'1"	4'1"	4'1"	4'1"
Frame	mm	2000 x 1000 x 80	2000 x 2000 x 80	2000 x 2000 x 80	2000 x 2000 x 100	2000 x 2000 x 100	2000 x 2000 x 100	2000 x 2000 x 100	2000 x 2000 x 100
	ft.in	6'6"x 3'3" x 0'3"	6'6"x 6'6"x0'3"	6'6"x 6'6"x0'3"	6'6"x 6'6"x0'4"	6'6"x 6'6"x0'4"	6'6"x 6'6"x0'4"	6'6"x 6'6"x0'4"	6'6"x 6'6"x0'4"
Weight 560 mm Disc	kg	4330	4540	4780	4970	5210	5450	5690	5980
	lbs	9546	10008	10538	10956	11486	12015	12544	13183
Weight 610 mm Disc	kg	4430	4650	4900	5100	5350	5600	5850	6150
	lbs	9766	10251	10802	11243	11794	12345	12897	13558
Weight 660 mm Disc	kg	4680	4930	5200	5420	5690	5970	6240	6560
	lbs	10318	10868	11464	11949	12544	13161	13756	14462
Min. Hp	hp	190-200	210-220	230-240	250-260	270-280	290-300	310-320	330-350

inch = 25,4 mm - 1 inch = 0,083 feet (foot) - 1 feet (foot) = 12 inch

* Manufacturer reserves rights to change them without notice.





ADDITIONAL GUIDE DISC



ARROW LIFT



MATERIAL QUALITY



DEPTH OF THE WORK



SCRAPPERS



DISC BEARING



DISC PULLEYS



FOLDING CHARACTERISTICS

OPTIONAL FEATURES



CURVE ADJUSTING ASSEMBLY



SIZE AND FORM OF THE DISC





agromaster®

+90 332 235 64 23

info@agromaster.com

www.agromaster.com

Buyukkayacik OSB Mahallesi Evrenkoy Cad. No:32 42050 Selcuklu/Konya/TURKEY

