

SPRING TINE TILLERS

T3 / T3R



agromaster®
We know the soil

www.agromaster.com

T3 11
T3 13
T3 15
T3 17
T3 19
T3, Spring Tine Tiller 3 Row High Frame


Technical Specifications*	Unit	T3 11	T3 13	T3 15	T3 17	T3 19
Number of Disc	pcs	11	13	15	17	19
Total Width (W)	mm	1800	2200	2600	3000	3400
	ft.in.	5'11"	7'3"	8'6"	9'10"	11'2"
Total Length (L)	mm	1850	1850	1850	1850	1850
	ft.in.	6'	6'	6'	6'	6'
Total Height (H)	mm	1390	1390	1390	1390	1390
	ft.in.	4'7"	4'7"	4'7"	4'7"	4'7"
Height (H1)	mm	700	700	700	700	700
	ft.in.	2'4"	2'4"	2'4"	2'4"	2'4"
Working Depth (Max.)	mm	200	200	200	200	200
	ft.in.	8"	8"	8"	8"	8"
Working Width	mm	1800	2200	2600	3000	3400
	ft.in.	5'11"	7'3"	8'6"	9'10"	11'2"
Tine Dimensions High Chassis	mm	32x32	32x32	32x32	32x32	32x32
	ft.in.	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"
Space Between Tine	mm	400	400	400	400	400
	ft.in.	16"	16"	16"	16"	16"
Frame Size	mm	80x80	80x80	80x80	80x80	80x80
	ft.in.	3"x3"	3"x3"	3"x3"	3"x3"	3"x3"
Required Power	hp	75-80	85-90	90-100	110-115	120-125
Weight	kg	400	460	520	580	620
	lbs	881	1014	1146	1278	1366

1 inch = 25,4 mm - 1 inch = 0,083 feet (foot) - 1 feet (foot) = 12 inch

* Manufacturer reserves rights to change them without notice.

T3R 11
T3R 13
T3R 15
T3R 17
T3R 19

T3R, Spring Tine Tiller 3 Row High Frame With Roller



Technical Specifications*	Unit	T3R11	T3R 13	T3R 15	T3R 17	T3R 19
Number of Disc	pcs	11	13	15	17	19
Total Width (W)	mm	1800	2200	2600	3000	3400
	ft.in.	5'11"	7'3"	8'6"	9'10"	11'2"
Total Length (L)	mm	1850	1850	1850	1850	1850
	ft.in.	6'	6'	6'	6'	6'
Length (L1)	mm	2890	2890	2890	2890	2890
	ft.in.	9'6"	9'6"	9'6"	9'6"	9'6"
Total Height (H)	mm	1390	1390	1390	1390	1390
	ft.in.	4'7"	4'7"	4'7"	4'7"	4'7"
Height (H1)	mm	700	700	700	700	700
	ft.in.	2'4"	2'4"	2'4"	2'4"	2'4"
Working Depth (Max.)	mm	200	200	200	200	200
	ft.in.	8"	8"	8"	8"	8"
Working Width	mm	1800	2200	2600	3000	3400
	ft.in.	5'11"	7'3"	8'6"	9'10"	11'2"
Tine Dimensions	mm	32x32	32x32	32x32	32x32	32x32
	ft.in.	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"
Space Between Tine	mm	400	400	400	400	400
	ft.in.	16"	16"	16"	16"	16"
Frame Size	mm	80x80	80x80	80x80	80x80	80x80
	ft.in.	3"x3"	3"x3"	3"x3"	3"x3"	3"x3"
Roller Diameter	mm	315	315	315	315	315
	ft.in.	12"	12"	12"	12"	12"
Required Power	hp	75-80	85-90	90-100	110-115	120-125
Weight	kg	635	720	805	865	955
	lbs	1399	1587	1774	1906	2105

1 inch = 25,4 mm - 1 inch = 0,083 feet (foot) - 1 feet (foot) = 12 inch

* Manufacturer reserves rights to change them without notice.



agromaster®

+90 332 235 64 23

info@agromaster.com

www.agromaster.com

Buyukkayacik OSB Mahallesi Evrenkoy Cad. No:32 42050 Selcuklu/Konya/TÜRKİYE

