

GARDEN SPRAYERS

B SERIES MOUNTED TYPE



agromaster®

We know the soil

www.agromaster.com



We know the soil

B SERIES **GARDEN SPRAYER**

B 400
B 600
B 800

B SERIES GARDEN SPRAYER, MOUNTED TYPE

B series mounted type 400, 600, 800 ltr are connected three point linkage of tractor and getting drive from (P.T.O) are used for multipurpose plant protection.





Mounted Type

Technical Specifications*	Unit	B 400	B 600	B 800
Capacity	L	400	600	800
	gallon	105	158	211
Total Width (W)	mm	1350	1350	1480
	ft.in	4'5"	4'5"	4'11"
Total Length (L)	mm	1270	1270	1270
	ft.in	4'2"	4'2"	4'2"
Total Height (H)	mm	1300	1500	1560
	ft.in	4'3"	4'11"	5'1"
Pump Type		C 71 / membrane		
Pump Flowrate	L/min	71		
Pump Pressure	bar	50		
Hose Length	m	20		
	ft.in	65'7"		
Number of Regulator Outlet		OG 403		
Pressure Safety Valve		standard		
Tank Mixer		standard		
Tank Material		polyethylene		
PTO Rotation	rpm	540		
Required Power	hp	45-50	60-65	70-80
Total Weight	kg	135	145	165
	lbs τ	297	319	363

1 inch = 25,4 mm - 1 inch = 0,083 feet (foot) - 1 feet (foot) = 12 inch

* Manufacturer reserves rights to change them without notice.



[illegible]

NOTES

[illegible]



agromaster®

+90 332 235 64 23

info@agromaster.com

www.agromaster.com

Buyukkayacik OSB Mahallesi Evrenkoy Cad. No:32 42050 Selcuklu/Konya/TÜRKİYE

