

FIELD SPRAYER, MOUNTED TYPE MISTBLOWER

COBRA CANON



agromaster®


We know the soil

www.agromaster.com

COBRA CANON 400
COBRA CANON 600
COBRA CANON 800
COBRA CANON 1000

COBRA CANON FIELD SPRAYER, MOUNTED TYPE MISTBLOWER

Cobra Canon mistblower is connected three point linkage of tractor and getting drive from (P.T.O) are used for multipurpose plant protection.





Mounted Type

Technical Specifications*	Unit	COBRA CANON 400	COBRA CANON 600	COBRA CANON 800	COBRA CANON 1000
Capacity	L	400	600	800	1000
	gallon	105	158	211	264
Total Width (W)	mm	1500	1500	1800	1800
	ft.in	4'1"	4'1"	5'10"	5'10"
Total Length (L)	mm	1600	1600	1600	1600
	ft.in	5'4"	5'4"	5'4"	5'4"
Total Height (H)	mm	2150	2150	2150	2150
	ft.in	7'1"	7'1"	7'1"	7'1"
Pump Type		C145 membrane			
Pump Flowrate	L/min	145	145	145	145
Pump Pressure	bar	50	50	50	50
Number of Nozzles	pcs	11	11	11	11
Nozzles		Atomizer Nozzles			
Working Width	m	25-35			
	ft.in	82'1" - 114'9"			
Regulator Model		OTR 17			
Tank Material		Polyethylene			
PTO Rotation	rpm	540			
Required Power	hp	75	75	75	75
Total Weight	kg	435	450	473	500
	lbs	959	992	1042	1102

1 inch = 25,4 mm - 1 inch = 0,083 feet (foot) - 1 feet (foot) = 12 inch

* Manufacturer reserves rights to change them without notice.



STANDARD FEATURES

For Cobra Canon



By the help of pressure regulator right or left spraying and the pressure adjustment can be made.



Hydromotor providing 270° working angle.



Hydraulic spraying height adjustment



Cleanable Filter



Best quality 4 membrane C145 pump which is produced by our factory is the most efficient product in its segment.



Angle Adjustable Nozzle



Hand Washing Tank



By means of filter system blockages are prevented.




Tank Cleaning System

Nozzle Spraying Types


Atomizer Nozzle

Plate hole diameter


- 0.8 mm
- 1.0 mm
- 1.2 mm
- 1.5 mm
- 1.8 mm




PS - Spraying Types



YPS - Spraying Types



Canon 2000 P - Spraying Types





agromaster®

+90 332 235 64 23

info@agromaster.com

www.agromaster.com

Buyukkayacik OSB Mahallesi Evrenkoy Cad. No:32 42050 Selcuklu/Konya/TÜRKİYE

